



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

ALABAMA—*Dallas County*.—Month of September, 1897. Estimated population, 48,432. Total deaths, 25, including 5 from phthisis pulmonalis.

*Selma*.—Month of August, 1897. Estimated population, 7,622. Total deaths, 7, including 1 from phthisis pulmonalis.

Month of September, 1897. Total deaths, 8, including 1 from phthisis pulmonalis.

CALIFORNIA—*Los Angeles*.—Month of October, 1897. Estimated population, 103,000. Total deaths, 116, including phthisis pulmonalis, 22; enteric fever, 2, and diphtheria, 2.

*Oakland*.—Month of October, 1897. Estimated population, 75,000. Total deaths, 66, including phthisis pulmonalis, 10; enteric fever, 1, and diphtheria, 1.

*Sacramento*.—Month of October, 1897. Estimated population, 30,000. Total deaths, 45, including phthisis pulmonalis, 4, and diphtheria, 3.

ILLINOIS—*Chicago*.—Month of October, 1897. Estimated population, 1,750,000. Total deaths, 1,716, including phthisis pulmonalis, 193; enteric fever, 61; scarlet fever, 6; diphtheria, 61; measles, 1, and whooping cough, 10.

KENTUCKY—*Louisville*.—Month of October, 1897. Estimated population, 215,572. Total deaths, 222, including phthisis pulmonalis, 28; enteric fever, 13; scarlet fever, 1; diphtheria, 2; croup, 5, and whooping cough, 1.

MAINE—*Portland*.—Month of October, 1897. Estimated population, 41,500. Total deaths, 56, including phthisis pulmonalis, 3; diphtheria, 8; croup, 1, and measles, 1.

MASSACHUSETTS—*Fitchburg*.—Month of October, 1897. Estimated population, 28,392. Total deaths, 27, including phthisis pulmonalis, 1, and enteric fever, 1.

*North Attleboro*.—Month of October, 1897. Estimated population, 6,727. Total deaths, 9, including 1 from enteric fever.

MICHIGAN.—Week ended November 6, 1897. Reports to the State board of health, Lansing, from 60 observers, indicate that pleuritis increased, and dysentery, inflammation of kidneys, diarrhea, and enteric fever decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 172 places, enteric fever at 58, scarlet fever at 32, diphtheria at 31, measles at 13, whooping cough at 9, and small-pox at 1 place (Bay City).

MINNESOTA—*Minneapolis*.—Month of October, 1897. Estimated population, 192,833. Total deaths, 149, including phthisis pulmonalis, 22; enteric fever, 7; diphtheria, 2, and whooping cough, 1.

NEW HAMPSHIRE—*Manchester*.—Month of October, 1897. Estimated population, 60,000. Total deaths, 118, including phthisis pulmonalis, 11; enteric fever, 3; diphtheria, 7, and whooping cough, 1.

NEW YORK—*Buffalo*.—Month of October, 1897. Estimated population, 360,000. Total deaths, 356, including phthisis pulmonalis, 40; enteric fever, 9; diphtheria, 25, and whooping cough, 1.

NORTH CAROLINA.—Month of September, 1897. Reports to the State board of health from 23 towns having an aggregate population of 127,394—white, 72,767; colored, 54,627, show a total of 191 deaths—white, 81; colored, 110, including phthisis pulmonalis, 26; enteric fever, 16; scarlet fever, 1; diphtheria, 2, and whooping cough, 1.

OHIO—*Cleveland*.—Month of October, 1897. Estimated population, 350,000. Total deaths, 414, including phthisis pulmonalis, 14; enteric fever, 10; scarlet fever, 2; diphtheria, 18, and whooping cough, 2.

*Toledo*.—Month of October, 1897. Estimated population, 143,755. Total deaths, 124, including phthisis pulmonalis, 17; enteric fever, 6; diphtheria, 13, and measles, 1.

PENNSYLVANIA—*Pottsville*.—Two weeks ended November 4, 1897. Estimated population, 14,117. Total deaths, 6, including 1 from measles.

*Williamsport*.—Month of October, 1897. Estimated population, 35,000. Total deaths, 21, including phthisis pulmonalis, 2, and enteric fever 1.

RHODE ISLAND—*Newport*.—Month of October, 1897. Estimated population, 21,500. Total deaths, 32, including 2 from phthisis pulmonalis.

VIRGINIA—*Richmond*.—Month of October, 1897. Estimated population—white, 56,440; colored, 47,120; total, 103,560. Deaths—white, 67; colored, 67; total, 134, including phthisis pulmonalis, 20; enteric fever, 7; diphtheria, 1, and whooping cough, 1.